

**SECTION 01 50 00**  
**TEMPORARY FACILITIES AND CONTROLS - ADDENDUM 2**

**PART 2 PRODUCTS**

2.01 ENGINEER'S FIELD OFFICES

- A. Furnish equipment specified for use of Engineer and its representatives.
- B. Ownership of equipment furnished under this article will remain, unless otherwise specified, that of Contractor.
- C. Equipment furnished shall be new or like new in appearance and function.
- D. Minimum Features:
  - 1. 110-volt lighting and wall plugs.
  - 2. Fluorescent ceiling lights.
  - 3. Electric heating and self-contained air conditioning unit, properly sized for Project locale and conditions. Provide ample electric power to operate installed systems.
  - 4. Railed stairways, and landings at entrance.
  - 5. Exterior Door(s):
    - a. Number: Two.
    - b. Type: Solid core.
    - c. Lock(s): Cylindrical.
  - 6. Number of Windows: Two.
  - 7. Minimum Interior Height: 8 feet.
- E. Floor Space: Minimum 255 square feet.
- F. Rooms: Two, with minimum private office floor space of 80 square feet, and remainder configured for open meeting or storage space.
- G. Plan table; plan rack; one double desk(s) with desk surface located 29 inches from floor; two 2-drawer, steel file cabinets; and overhead shelf(s).
- H. Trailer Type Mobile Structure: One
- I. Office Equipment—General:
  - 1. Bottled Water Service.
  - 2. Refrigerator.
  - 3. Clean Microwave.
  - 4. Paper Cup Dispenser with Cups.
  - 5. Paper Towels available.
  - 6. Desk: One, steel, 30 inches by 60 inches with desk surface located 29 inches from floor.

7. Swivel Desk Chair with 5 roller type legs.
8. Table for meetings as least 36 inches by 72 inches.
9. Folding Chairs.
10. Wastepaper Basket.
11. First-Aid Kit.
12. Tri-Class (ABC), Dry Chemical Fire Extinguisher, 10-Pound.

J. Computer Hardware:

1. High Speed LTE internet modem
2. Color printer for 11x17 sized paper with scanning capabilities.
3. Standard keyboard and mouse  
Power Supply Surge Protector with a minimum of 5 receptacles rated at 15 amps minimum.
4. Maintenance service agreements for all hardware for duration of Contract.

**PART 3 EXECUTION**

3.01 ENGINEER'S FIELD OFFICE

- A. Make available for Engineer's use within one week of when the tank site property has become available, and to remain on Site for minimum of 30 days after final acceptance of the Work.
- B. Locate where approved by Engineer; level, block, tie down, skirt, provide stairways, and relocate when necessary and approved. Construct on proper foundations, and provide proper surface drainage and connections for utility services.
- C. Provide gravel or crushed rock base, minimum depth of 4 inches, at each entrance.
- D. Raise grade under field office, as necessary, to elevation adequate to avoid flooding.
- E. Provide sanitary facilities in compliance with state and local health authorities.
- F. Exterior Door Keys: Furnish two set(s) of keys.
- G. Computer: Provide required connecting cables and plugs.
- H. Telecommunications:
  1. Provide internet connection with minimum of five live portable computer (PC) ports.
  2. Provide appropriate jacks, wiring, and equipment required for a complete telecommunications system.

3. Arrange and provide for telecommunication service for use during construction. Pay costs of installation, maintenance, and monthly service of internet connection.
  - I. Maintain in good repair and appearance, and provide weekly cleaning service and replenishment, as required, of paper towels, paper cups, hand soap, toilet paper, first-aid kit supplies, and bottled water.
  - J. Replenish, as needed, copy paper and toner.